

03560.003445.



*col*

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:

TADAO ENDO

Appln. No.: 10/829,257

Filed: April 22, 2004

For: RADIATION IMAGING APPARATUS,  
RADIATION IMAGING SYSTEM, AND  
RADIATION IMAGING METHOD

U.S. Patent No.: 6,952,464 B2

Issued: October 4, 2005

)

:

)

:

)

:

)

:

)

:

)

:

)

:

)

Examiner: C.D. Thomas

Art Unit: 2882

**Certificate**

**MAR 07 2006**

**of Correction**

March 2, 2006

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450


CERTIFICATE OF CORRECTION  
UNDER RULE 322

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes. A Certificate of Correction form, in duplicate, is enclosed.

Patentee's undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

  
Jennifer A. Reda  
Attorney for Patentee  
Registration No. 57,840

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
Facsimile: (212) 218-2200

NY\_Main 555082v1

Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : US 6,952,464 B2

DATED : October 4, 2005

INVENTOR(S) : TADAO ENDO

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 12:

Line 31, "In" should read --in--.

COLUMN 13:

Line 55, "Iodide," should read --iodide,-.

COLUMN 14:

Line 34, "claim 4," should read --claim 3,--.

COLUMN 15:

Line 1, "claim 3," should read --claim 4,--.

COLUMN 16:

Line 8, "signals:" should read --signals;--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 6,952,464 B2

No. of add'l. copies  
@ 30¢ per page



Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : US 6,952,464 B2

DATED : October 4, 2005

INVENTOR(S) : TADAO ENDO

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 12:

Line 31, "In" should read --in--.

COLUMN 13:

Line 55, "Iodide," should read --iodide,-.

COLUMN 14:

Line 34, "claim 4," should read --claim 3,--.

COLUMN 15:

Line 1, "claim 3," should read --claim 4,--.

COLUMN 16:

Line 8, "signals:" should read --signals;--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3801  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. US 6,952,464 B2

No. of add'l. copies  
@ 30¢ per page

